



IFOS Product Report

Product Name:	IFOS AMB Well PGFO
Product Type:	Ultra Refined TG, Capsule
Product Availability:	World wide
Product Summary  	<p>IFOS AMB Well PGFO, Lot 1806055 is a clean and highly concentrated omega-3 fish oil product. Each 1000 mg sample contains a minimum 60% total omega-3 concentration, as well as gelatin, glycerin and natural mixed tocopherols. This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none"> ★ Omega-3 Concentration Consistent with Label - YES ★ Passes IFOS Oxidation standards - YES ★ Passes IFOS PCB, PCDD/F standards - YES ★ Passes IFOS Heavy Metal standards - YES ★ Passes all IFOS testing categories – YES
Batch/Lot #:	1806055
Expiry Date:	06/2021
Recommended Daily Allowance:	3 capsules
Company Name:	A M B Well Inc.
Company Phone:	CAN/USA 1-866-925-FISH; Intl 1-519-902-4877; AUS 1-800-268-275; NZL 0-800-FISHOIL ITL Message +39 370 342 4227 on WhatsApp
Company Website:	https://www.ambwellinc.ca https://www.oliodipesce.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Category 1: Potency Omega-3 content vs. product label claim	Specification mg per cap	Batch Results mg per cap	IFOS Compliance
EPA	> 400	453.65	Yes
DHA	> 200	247.38	Yes
Total Omega-3	> 630	785.32	Yes

Category 2: Purity, Safety & Cleanliness	IFOS Standards	Batch Results	IFOS Compliance
PCBs	< 45 ppb	0.208 ppb	Yes
Dioxins and Furans	< 1 ppt	0.164 ppt	Yes
Dioxin-Like PCBs	< 1.5 ppt	0.00551 ppt	Yes
Radioactivity	<50 bq/kg	<30 bq/kg	Yes

Category 3: Stability	IFOS Standards	Batch Results	IFOS Compliance
Acid Value	<= 3 KOH/g	0.03 KOH/g	Yes
Peroxide	<= 5 meq/kg	1.35 meq/kg	Yes
Anisidine	<= 20	0.23	Yes
Total Oxidation	<= 19.5	2.93	Yes

Category 4: Heavy Metals	IFOS Standards	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	0.0055	Yes
Cadmium (Cd)	<= 0.1 ppm	< 0.01	Yes
Lead (Pb)	<= 0.1 ppm	0.029	Yes

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Total Arsenic (As)	<= 0.1 ppm	< 0.05	Yes
--------------------	------------	--------	-----

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)