




Consumer Report

Product Name:	IFOS AMB Well PGFO
Product Type:	Ultra Refined TG, Capsule
Product Availability:	World Wide
<p>Product Summary:</p>  <p>IFOS AMB Well PGFO, Lot BN 1610003 is a clean and highly concentrated omega-3 fish oil product. Each 1000 mg sample contains a minimum 60% total omega-3 concentration, as well as gelatin, glycerin and natural mixed tocopherols. This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none"> ★ Omega-3 Concentration Consistent with Label – YES ★ Passes IFOS Oxidation standards – YES ★ Passes IFOS PCB, PCDD/F standards – YES ★ Passes IFOS Heavy Metal standards – YES ★ Passes all IFOS testing categories – YES <p>★★★★★</p>	
Batch/Lot #:	BN 1610003
Expiry Date	10/2019
NPN#	80002607
Recommended Daily Allowance:	3 capsules
Company Name:	A-M B-Well Inc.
Company Phone:	CAN/USA 1-866-925-FISH; Intl 1-519-902-4877; AUS 1-800-268-275; NZL 0-800-FISHOIL
Company Website:	http://www.anne-marie.ca , http://www.ambwellinc.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca





Consumer Report

Category 1: Potency	Concentration	Batch Results	IFOS Compliance
EPA	400 mg/capsule	434 mg/ capsule	YES
DHA	200 mg/ capsule	210 mg/ capsule	YES
TOTAL OMEGA-3	630 mg/ capsule	727 mg/ capsule	YES

Category 2: Purity, Safety & Cleanliness	Standard Limit	Batch Results	IFOS Compliance
PCBs	<= 45 ppb	0.057 ppb	YES
Dioxins and Furans	<= 1 ppt	0.328 ppt	YES
Dioxin-Like PCBs	<= 1.5 ppt	0.013 ppt	YES
Radioactivity	<= 50 bq/kg	< 8 bq/kg	YES

Category 3: Stability	Standard Limit	Batch Results	IFOS Compliance
Anisidine	<= 20	7.33	YES
Peroxide	<= 5 mEq/kg	1.68 meq/kg	YES
TOTOX	<= 19.5	10.69	YES
Acid Value	<= 3.0 mg KOH/g	0.05 mg KOH/g	YES

Category 4: Heavy Metals	Standard Limit	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	< 0.005 ppm	YES
Lead (Pb)	<= 0.1 ppm	< 0.02 ppm	YES
Total Arsenic (As)	<= 0.1 ppm	< 0.05 ppm	YES
Cadmium (Cd)	<= 0.1 ppm	< 0.01 ppm	YES

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

