



IFOS Product Report

Product Name:	InnovixLabs Purified OMEGA-7
Product Type:	Combination Product Triglyceride Source
Product Availability:	Global
Product Summary  	<p>InnovixLabs Purified OMEGA-7 is a clean and concentrated Palmitoleic Acid triglyceride form supplement that has been purified to reduce Palmitic Acid. Each capsule contains 210mg of Palmitoleic Acid Omega-7 in a triglyceride form. This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none">★ Passes all IFOS testing categories – YES★ Confirmation of label claim for other actives – YES★ Oxidation level less than 75% of CRN standard – YES★ PCB levels less than 50% of CRN standard – YES★ Dioxin levels less than 50% of WHO standard – YES
Batch/Lot #:	IL190038
Expiry Date:	15/01/2022
Recommended Daily Allowance:	One capsule daily with a meal
Company Name:	Innovix Pharma Inc.
Company Phone:	Toll Free 888-799-7627
Company Website:	http://www.innovixlabs.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Category 1: Potency Omega-3 content vs. product label claim	Specification mg per cap	Batch Results mg per cap	IFOS Compliance
Palmitoleic Acid	210 mg/capsule	258 mg/capsule	YES

Category 2: Purity, Safety & Cleanliness	IFOS Standards	Batch Results	IFOS Compliance
PCBs	< 45 ppb	6.41 ppb	Yes
Dioxins and Furans	< 1 ppt	0.183 ppt	Yes
Dioxin-Like PCBs	< 1.5 ppt	0.009 ppt	Yes
Radioactivity	<50 bq/kg	<30 bq/kg	Yes

Category 3: Stability	IFOS Standards	Batch Results	IFOS Compliance
Acid Value	<= 3 KOH/g	1.5 meq/kg	Yes
Peroxide	<= 5 meq/kg	0.44	Yes
Anisidine	<= 20	3.44	Yes
Total Oxidation	<= 19.5	0.08 mg KOH/g	Yes

Category 4: Heavy Metals	IFOS Standards	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	<0.005 ppm	Yes
Cadmium (Cd)	<= 0.1 ppm	<0.02 ppm	Yes
Lead (Pb)	<= 0.1 ppm	<0.05 ppm	Yes
Total Arsenic (As)	<= 0.1 ppm	<0.01 ppm	Yes

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)