



IFOS Product Report

Product Name:	Triple Strength Omega-3
Product Type:	Ultra Refined EE capsule
Product Availability:	Global
Product Summary	<p>InnovixLabs Triple Strength OMEGA-3 is a clean highly concentrated fish oil supplement. Each capsule contains a minimum of 75% omega-3 concentration, minimum of 552 mg of EPA and 288 mg of DHA.</p> <p>This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none">★ Omega-3 Concentration Consistent with Label – YES★ Passes IFOS Oxidation standards – YES★ Passes IFOS PCB, PCDD/F standards – YES★ Passes IFOS Heavy Metal standards – YES★ Passes all IFOS testing categories – YES
	
	
Batch/Lot #:	IL180804
Expiry Date:	15/12/2021
Recommended Daily Allowance:	1-2 capsules daily with a meal
Company Name:	Innovix Pharma Inc.
Company Phone:	Toll Free 888-799-7627
Company Website:	http://www.innovixlabs.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Category 1: Potency Omega-3 content vs. product label claim	Specification mg per cap	Batch Results mg per cap	IFOS Compliance
EPA	552	570	Yes
DHA	288	318	Yes
Total Omega-3	900	1009	Yes

Category 2: Purity, Safety & Cleanliness	IFOS Standards	Batch Results	IFOS Compliance
PCBs	< 45 ppb	22.7 ppb	Yes
Dioxins and Furans	< 1 ppt	0.151 ppt	Yes
Dioxin-Like PCBs	< 1.5 ppt	0.751 ppt	Yes
Radioactivity	<50 bq/kg	<30 bq/kg	Yes

Category 3: Stability	IFOS Standards	Batch Results	IFOS Compliance
Acid Value	<= 3 KOH/g	1.19 KOH/g	Yes
Peroxide	<= 5 meq/kg	2.41 meq/kg	Yes
Anisidine	<= 20	3.47	Yes
Total Oxidation	<= 19.5	8.29	Yes

Category 4: Heavy Metals	IFOS Standards	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	< 0.005	Yes
Cadmium (Cd)	<= 0.1 ppm	< 0.01	Yes
Lead (Pb)	<= 0.1 ppm	< 0.02	Yes
Total Arsenic (As)	<= 0.1 ppm	< 0.05	Yes

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)