




IFOS Product Report

Product Name:	Triple Strength Omega-3 Fish Oil by NutriGold®
Product Type:	Ultra Refined
Product Availability:	Worldwide
<p>Product Summary</p>  <p>★★★★★</p>	<p>Triple Strength Omega-3 Fish Oil (Lot #: 8923, 8409, 8123) by NutriGold® is a clean and highly concentrated omega-3 fish oil product. Each serving of 2 softgels contains 80% total omega-3 concentration or greater, including 1450mg EPA and 550mg DHA.</p> <p>This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none"> ★ Omega-3 Concentration Consistent with Label – YES ★ Passes IFOS Oxidation standards – YES ★ Passes IFOS PCB, PCDD/F standards – YES ★ Passes IFOS Heavy Metal standards – YES ★ Passes all IFOS testing categories – YES
Batch/Lot #:	8923, 8409, 8123
Expiry Date:	02/2022
Recommended Daily Allowance:	2 softgels daily with meal
Company Name:	NutriGold, Inc.
Company Phone:	(800) 476-3542
Company Website:	http://www.nutrigold.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Category 1: Potency Omega-3 content vs. product label claim	Specification mg per 2 softgels	Batch Results mg per 2 softgels	IFOS Compliance
EPA	1450	1674	Yes
DHA	550	630	Yes
Total Omega-3	2100	2444	Yes

Category 2: Purity, Safety & Cleanliness	IFOS Standards	Batch Results	IFOS Compliance
PCBs	< 45 ppb	0.011 ppb	Yes
Dioxins and Furans	< 1 ppt	0.088 ppt	Yes
Dioxin-Like PCBs	< 1.5 ppt	0.004 ppt	Yes

Category 3: Stability	IFOS Standards	Batch Results	IFOS Compliance
Acid Value	<= 3 KOH/g	0.02 KOH/g	Yes
Peroxide	<= 5 meq/kg	1.24 meq/kg	Yes
Anisidine	<= 20	1.94	Yes
Total Oxidation	<= 19.5	4.42	Yes

Category 4: Heavy Metals	IFOS Standards	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	< 0.005	Yes
Cadmium (Cd)	<= 0.1 ppm	< 0.01	Yes
Lead (Pb)	<= 0.1 ppm	< 0.02	Yes
Total Arsenic (As)	<= 0.1 ppm	< 0.05	Yes

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)