





# IFOS Product Report

<b>Product Name:</b>	Krilom Omega-3 Seftali Mango Aromali Balik Yagi Surup
<b>Product Type:</b>	Ultra Refined
<b>Product Availability:</b>	Turkey
<b>Product Summary:</b>  	<p>Krilom Omega-3 Seftali &amp; Mango Syrup by Tab Ilac is a clean and highly concentrated omega-3 product.</p> <p>This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none"><li>★ Omega-3 Concentration Consistent with Label – YES</li><li>★ Passes IFOS Oxidation standards – YES</li><li>★ Passes IFOS PCB, PCDD/F standards – YES</li><li>★ Passes IFOS Heavy Metal standards – YES</li><li>★ Passes all IFOS testing categories – YES</li></ul>
<b>Batch/Lot #:</b>	17100419
<b>Expiry Date</b>	10/2020
<b>Recommended Daily Allowance:</b>	10 ml per day
<b>Company Name:</b>	TAB İLAÇ SANAYİ A.Ş.
<b>Company Phone:</b>	+90 212 438 70 83
<b>Company Website:</b>	www.tabilac.com

Category 1:

Concentration

Batch Results

IFOS Compliance

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc. | ifos@nutrasource.ca

[www.ifosprogram.com](http://www.ifosprogram.com)



[facebook.com/ifosprogram](https://facebook.com/ifosprogram)



[@IFOS\\_Program](https://twitter.com/IFOS_Program)



# IFOS Product Report

Potency			
<b>EPA</b>	390 mg/10ml	403 mg/10ml	YES
<b>DHA</b>	260 mg/10ml	260 mg/10ml	YES
<b>TOTAL OMEGA-3</b>	820 mg/10ml	824 mg/10ml	YES

Category 2: Purity, Safety & Cleanliness			
	Standard Limit	Batch Results	IFOS Compliance
<b>PCBs</b>	< 45 ppb	0.441 ppb	YES
<b>Dioxins and Furans</b>	< 1 ppt	0.269 ppt	YES
<b>Dioxin-Like PCBs</b>	< 1.5 ppt	0.00951 ppt	YES

Category 3: Stability			
	Standard Limit	Batch Results	IFOS Compliance
<b>Anisidine</b>	<20	0.05	YES
<b>Peroxide</b>	< 5 meq/kg	0.00 meq/kg	YES
<b>TOTOX</b>	< 19.5	0.05	YES
<b>Acid Value</b>	< 3.0 mg KOH/g	1.35 mg KOH/g	YES

Category 4: Heavy Metals			
	Standard Limit	Batch Results	IFOS Compliance
<b>Mercury (Hg)</b>	< 0.1 ppm	< 0.005 ppm	YES
<b>Lead (Pb)</b>	< 0.1 ppm	< 0.02 ppm	YES
<b>Total Arsenic (As)</b>	< 0.1 ppm	< 0.05 ppm	YES
<b>Cadmium (Cd)</b>	< 0.1 ppm	< 0.01 ppm	YES

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc. | ifos@nutrasource.ca

[www.ifosprogram.com](http://www.ifosprogram.com)



[facebook.com/ifosprogram](https://facebook.com/ifosprogram)



[@IFOS\\_Program](https://twitter.com/IFOS_Program)